
Kelin waterborne tile grout is a new product based on the upgrade of two components tile grout. It is a kind of waterborne epoxy resin products, with better environmental performance, being far beyond the international standard. At the same time, it is mould proof, moisture proof, environmental friendly, non-toxic and net flavor, adding negative oxygen ion to purify air and get rid of formaldehyde. It is a preference product in family decoration. Australia joint research and development products to make the better performance, and through the Chinese Academy of Sciences strategic quality control guidance, to make products' quality stable.

Main Ingredient	Epoxy resin, High-end color powder
Function	The filling and beautification of tile gap
Shelf Life	Stock in a cool and dry place at 0-37 °C for 18 months
Net Weight	450 ML
Packing	30 Sets/Carton


The product can be better used in the joints of ceramic tile, stone, glass, mosaic tile on the wall or flour in bathroom, kitchen, bedroom and so on. It is not only playing the role of bonding and blocking, but also can beautify ceramic tile. It has its own feature: great varieties of color, bright luster, and its surface is bright as porcelain after curing. High quality **construction building glue factory**, choose Kelin.



Varieties of colors for your choice. Also provide custom colors.



Provide Whole Room Gap Solution



Brief Construction Process



it dry.









Clean the tiles and keep Polish with tile wax except the glazed tile.

Open & Watch, both sides can extruded meanwhile.

Screw on the nozzle, put Inclined cut the top of on the grout gun. the nozzle in 45°.









Squeeze out 60-80cm long grout in the forepart.

Evenly squeeze out the tile agent along the gap. tools.


Press the grout with

Don't touch in 4-5 hours and remove excess grout hours. then.

Professional Joint-Pressing Tool



Company Advantage



Factory Overview




Creaming Machine Line



Batching Production Line

Cooling Filing




Filling Machine Line



Film-coated Machine







Stock

Certification

